

Message

From: Lazos, Pamela [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=15D4F11C6327474BB424A24CBD406E93-PLAZOS]
Sent: 8/24/2021 5:03:23 PM
To: Maslowski, Steven [Maslowski.Steven@epa.gov]
Subject: FW: CRW - Exhibits from Today's Call
Attachments: Exhibit 42 2021-08 CSO Regulator Structure Modifications List.pdf; Exhibit 37 2015-07-27 Water Quality Modeling Plan.pdf; Exhibit 24 2021-07-13 Status of Outfall Repairs.pdf; Exhibit 38 2016 PADEP Integrated Report.pdf

Want to talk through some of these next week before our discussion with the bigger group?

From: Ahearn, Devon (ENRD) <Devon.Ahearn@usdoj.gov>
Sent: Monday, August 23, 2021 4:52 PM
To: Kardeman, Lianna <Kardeman.Lianna@epa.gov>; Lazos, Pamela <Lazos.Pamela@epa.gov>; Levine, Bradley (ENRD) <Bradley.Levine@usdoj.gov>; Maslowski, Steven <Maslowski.Steven@epa.gov>; Nanda, Sushila <Nanda.Sushila@epa.gov>; Tom Rowlett <tom.rowlett@pgenv.com>
Subject: CRW - Exhibits from Today's Call

Hi all,

I have attached the following exhibits for your review. If you have not already done so, please make sure that you're able to access the Box.com folder so you can see and download all of CRW's exhibits.

- Ex. 38: 2016 Pennsylvania Integrated Water Quality Monitoring and Assessment Report (this is the river study that Dawn mentioned on our call; the relevant discussion is at p. 32)
- Ex. 24: 2019 status update on CSO outfall repairs
- Ex. 37: 2015 memo re Water Quality Modeling Plan
- Ex. 42: Selected CSO Regulator Structures to be modified

Thanks,
Devon

Devon Ahearn
Trial Attorney
Environmental Enforcement Section | ENRD | U.S. Department of Justice
Regular Mail: P.O. Box 7611, Washington, DC 20044-7611
Overnight and Courier: 150 M Street NE, Suite 2.900, Washington, DC 20002
Devon.ahearn@usdoj.gov
(202) 514-2717